

Receiving Report

Date: 12/12/19

Batch No: M124069

Supplier: Walmart

Dart P/O: 18638

Packing Slip: Yes ☒ No ☐

Invoice: Yes ☐ No ☒

Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐

Waybill Attached: Yes ☒ No ☐ N/A ☐

Shipment Complete: Yes ☒ No ☐ N/A ☐

QC6 Inspection: 16 12/12/20 N/A ☒

Work Order: 16 12/12/20 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
<u>Sony</u>	<u>Port Nite</u>	<u>200</u>	<u>AV</u>	<u>416V</u>	<u>204</u>	
		<u>M606</u>	<u>150</u>	<u>375</u>	<u>W058</u>	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 12/12/19

Date: [Signature]

Received/Costing: [Signature]

Initial: [Signature]

Location: _____

Page 1 of 1

All amounts are calculated in domestic currency.

All Line Item Types

All Currencies

Grouped by Vendor ID

Total Received Quantity:	1,320.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$2,365.40
Total Balance Due Quantity:	0.0000



Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay
Boucherville QU CAN J4B 5X9
TEL. 514/527-9153
FAX. 450/641-4357

PACKING SLIP

PAGE...: 1
Order : 1126604
Date...: 12/18/2012

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA

TST OVERLAND #222212

F.O.B.

BOUCHERVILLE

SALESPERSON

C. Gee

YOUR ORDER NO.

PO18638

Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
01	Fax all papers to Linda Lacelle 613-632-1053 rev: 01/11 GD STAINLESS STEEL TUBE A554 304 ORN. TUBE 3/4" X 3/4" X .065 A554 STO .750 .750 .065 304APC Tariff Number: 7306.40.00.10 Cust. part#: M304TS0.750W.065 HT#.....: A4H9 Total...	50 50	1000/FT 1000/FT	
02	ALUMINUM SMLS TUBE ATS .625 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T0.625W.065 HT#.....: F00012516 Total...	8 8	96/FT 96/FT	
03	ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T0.375W.058 HT#.....: F00013715 Total...	17 17	204/FT 204/FT	
04	ALUMINUM SMLS TUBE ATS .625 .049 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6161T6T0.625W.049 HT#.....: F00015326 Total...	2 2	24/FT 24/FT	

Handwritten signature/initials

No. of Bdl's/Pieces 2 / 0

Total Weight.....: 636

Customers.: _____



A Marmon Distribution Services/Berkshire Hathaway Company



CERTIFICATE OF COMPLIANCE

We hereby certify that the material listed below has been used to produce stainless steel tubing in accordance with specifications outlined in ASTM A554-03/EN 10204 3.1.

Type: 304
Size: 0.750"x 0.750"x 0.065"x 240.000"
Finish: As Welded
Your P.O. #: MX3136
Item Code: STO.750.750.065

HEAT NO.:

A4H9

COIL NO.: 05A4H9 A

CHEMICAL ANALYSIS (%):

C	Mn	P	S	Si	Cr	Mo	Ni
0.0590	1.6390	0.0340	0.0010	0.3010	18.3390	N/R	8.0280
Cu	Ti	Al	N	Co	Cb		
N/R	N/R	N/R	0.0580	N/R	N/R		

MECHANICAL PROPERTIES:

YIELD STRENGTH
P.S.I.
48410


TENSILE STRENGTH
P.S.I.
98130

ELONGATION
%
51.03

HARDNESS
85.5 HRB

Mercury has not been used as an alloying material nor is it present in our processing methods.

Date: 01/23/2012



Rob Kaminski
Rob Kaminski
Metallurgical Lab Technician

190 Frobisher Drive, Waterloo, Ontario, N2V 2A2
Phone: (519) 746-0088 Fax: (519) 746-3941 (Toll Free: 1-800-563-8823)

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 61-15086-1		CUSTOMER PART NUMBER: AT/ 625.065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 208094	LINE ITEM: 001	SHIP DATE: 08/05/2011	KAISER LOT NUMBER: F00012516	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 651.000 LB	QUANTITY: 404.000 PCS	B/L NUMBER: 208511	DIA/M/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONT#IACS	BEND
F00012516	0001	1	47.0	40.7	18.0	N/A	N/A	N/A
F00012516	0002	1	47.0	40.7	17.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69293	.56	.32	.20	.05	.99	.08	.06	.02	.00	.00	.00	.01	.02
D69285	.59	.25	.21	.06	.98	.06	.05	.02	.00	.00	.00	.01	.02

Sr/12/20 next page

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Nathaniel Stevens

Plant Serial: 00011300

Kaiser Order Number: 208094

Line Item: 001

Page 1 of 2

ATS .625 .065 D6061 T6

OR.REF:
SLSPRS:

To:

INIT.:

11/28/2011 From: MARMON/KEYSTONE CORPORATION

M/K OR:
C.P.O.:
C PART:

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>


Applicable Requirements:

Description: MADE IN USA

OD: 0.625"; Wall: 0.065"; Round
AMS-4082P ASTM-B210-04 WW-T-700/6F 8/26/20
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA



CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00011300

Kaiser Order Number: 208094

Line Item: 001

Page 2 of 2

SLSPRS:
OR.REF:

To:

INIT.:

11/28/2011 From: MARMON/KEYSTONE CORPORATION

M/K OR:
C.P.O.:
C PART:

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 61-17107-1		CUSTOMER PART NUMBER: AT/375.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 606551	LINE ITEM: 001	SHIP DATE: 01/04/2012	KAISER LOT NUMBER: F00013715	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 629.000 LB	QUANTITY: 776.000 PCS	B/L NUMBER: 602261	DIA/DAF/THICKS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
* F00013715	0001	1	46.3	42.9	12.0	N/A	N/A	N/A
* F00013715	0002	1	46.2	42.9	12.3	N/A	N/A	N/A
* F00013715	0003	1	45.8	43.0	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69881	.58	.26	.22	.06	.98	.07	.09	.02	.00	.00	.00	.01	.02
D69877	.57	.31	.25	.05	.96	.07	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA

OD: 0.375"; Wall: 0.058"; Round

AMS-4082P ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

MARMON / KEYSTONE
Q.C. REVIEWED
DATE
FEB 01 2012
INITIAL

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Plant Serial: 00022757
Kaiser Order Number: 606551
Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Yeh

Q. C. REVIEWED

KAISER ALUMINUM

FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: 61-17868-1		CUSTOMER PART NUMBER: AT/625.049/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 619487	LINE ITEM: 001	SHIP DATE: 06/18/2012	KAISER LOT NUMBER: F00015326	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 689.000 LB	QUANTITY: 553.000 PCS	B/L NUMBER: 603704	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00015326	C001	1	47.1	43.3	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D70134	.59	.31	.20	.04	1.00	.07	.06	.02	.00	.00	.00	.01	.02
D70133	.62	.32	.19	.05	.94	.08	.01	.03	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
 OD: 0.625"; Wall: 0.049"; Round @
 AMS-4082P ASTM-B210-04 WW-T-700/6F
 WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
 THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
 CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
 WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
 COMPLIES TO DIN EN 10204 JAN 2005
 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
 No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Plant Serial: C0048144
 Kaiser Order Number: 619487
 Line Item: C01

ATS .625 .049 D6061 T6

KAISER

ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048


CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager



QC REVIEWED

JUL 09 2012

TC

QC REVIEWED



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO18638

Purchase Order Date 12/12/12

PO Print Date 12/18/12

Page Number 1 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

REVISED
Q45-

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TS0.750W.065	304 SQ Tube .75x.75x.065W	12/19/12 Yes	1,000.00 f	TST ground	\$1.6200	\$1,620.00
		Special Inst: MATERIAL: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR ASTM A260 MILL FINISH					
2	M6061T6T0.625W.065	6061-T6 RD Tube .625 x.065W	12/19/12 Yes	96.00 f	TST ground	\$2.9500	\$283.20
		Special Inst: MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8					
3	M6061T6T0.375W.058	6061-T6 RD Tube .375 x.058W	12/19/12 Yes	200.00 f	TST ground	\$1.9500	\$390.00

204
12/18/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 2

Change Date: 12/18/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18638**

Purchase Order Date 12/12/12

PO Print Date 12/18/12

Page Number 2 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

10127-2607

Tax Resale Nbr

Net 30

Terms

Currency

CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR
QQ-A-200/8 OR QQ-A-225/8

4

M6061T6T0.625W.049

6061-T6 RD Tube .625
x.049W

12/19/12

24.00 TST ground

\$2.3800

\$57.12

Yes

f

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR
QQ-A-200/8 OR QQ-A-225/8

PO Total:

\$2,350.32

Change Nbr: 2

Change Date: 12/18/12

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required - YES NO